AUTHOR INDEX

Adinolfi, M., 215 Akamatsu, Y., 57, 69, 83 Antonakis, K., 277 Arai, M., 57, 69, 83 Areces, P., 99 Avalos, M., 99

Babiano, R., 99 Bayer, E., 23 Bender, H., 239 Bols, M., 141 Botvinko, I. V., 233

Ceccorulli, G., 205 Chang, K.-Y., 121 Chittenden, G. J. F., 283 Constantinou-Kokotou, V., 163 Corsaro, M. M., 215 Couladouros, E. A., 163

Danilova, I. V., 233 Derevitskaya, V. A., 233

El Sadek, M. M., 267 El Soccary, N. N., 267

Farooqi, M. I. H., 289 Fokt, I., 271 Fukunaga, K., 37

Georgiadis, M. P., 163 Georgiadis, T. M., 163 González, L., 99

Hahne, M., 245 Hanaya, T., 11 Harata, K., 37, 113 Hasegawa, A., C1 Hiraoka, T., 57, 69, 83 Huang, D., 47

Imai, K., 255 Ishida, N., 57, 69, 83 Ito, K.-i., 255

Jann, B., 245 Jann, K., 245 Jeffrey, G. A., 47 Jiménez, J. L., 99 Joseleau, J.-P., 289 Jung, M., 23 Kapoor, V. P., 289 Kiso, M., c1 Kobayashi, Y., 57, 69, 83 Kokotos, G., 163 Kuge, S., 57, 69, 83

Leclercq, F., 277 Likhosherstov, L. M., 233 Lindberg, B., 113 Lindberg, J., 113 Luger, P., 11 Lundt, I., 141

Mangoni, L., 215 Manna, S., 261 McAnalley, B. H., 261 Metzger, J., 23 Midtvedt, T., 1 Mukaiyama, S., 173

Nakata, M., 189 Nishijima, M., 57, 69, 83 Niwata, Y., 189

Oshima, M., 255 Otsuka, T., 57, 69, 83 Ottosen, E. R., 141

Palacios, J. C., 99 Parrilli, M., 215 Pilo, M. D., 99 Pitha, J., 37, 113 Pizzoli, M., 205 Poerio, E., 215 Prabhanjan, H., c1

Rao, C. T., 37, 113 Rapp, P., 223 Richter, T., 11

Scandola, M., 205 Schmalzing, D., 23 Schulz, D., 223 Schurig, V., 23 Senchenkova, S. N., 233 Shashkov, A. S., 233 Shiozaki, M., 57, 69, 83 Slayter, H. S., 1 Szeja, W., 271

Taravel, F. R., 289 Tatsuta, K., 173, 189 Tezuka, Y., 255 Toshima, K., 173, 189

Uekama, K., 37 Umezawa, K., 189

Varela, O., 131 Vogel, P., 151 Wagner, J., 151 Wang, K.-T., 121 Wold, J. K., 1 Wu, S.-H., 121

Yamamoto, H., 11 Yoshida, T., 173

Zunszain, P. A., 131

SUBJECT INDEX

- Acacia nilotica gum exudates, structure of, 289 Acacia trees from India and Africa, comparison of structures of gum exudates from, 289
- N-[1-Acetyl-5-(D-arabino-tetraacetoxybutyl)-2-methyl-3-pyrroyl]-N-phthalimidoacetamide, synthesis of, 267
- Acetylenic dipolarophiles, synthesis and reactivity of imidazo[2,1-b]thiazolium-3-olate systems toward, 99
- Acetyl migration, evidence of, during the methylation of methyl 2,3,4-tri-O-acetyl-D-mannose with diazomethane-boron trifluoride etherate, 261
- Analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by ion-spray mass spectrometry, 23
- 2,2'-Anhydro-1-(3-deoxy-3-fluoro-4,6-O-isopropylidene- β -D-altropyranosyl)pyrimidines, a one-pot synthesis of, 277
- Asymmetric synthesis of 6-deoxy-5-C-methyl-Dribo-hexose, and structure in aqueous solution, 151
- Azotobacter beijerinckii B-1615, structure of the major exopolysaccharide produced by, 233
- Branched saccharides formed by the action of His-modified cyclodextrin glycosyltransferase from *Klebsiella pneumoniae* on starch, 239
- Capsular polysaccharide (K98 antigen) of *E. coli* O7:K98:H6, structure of the, 245
- Cellulose derivative having ether and ester substituents, ¹³C-n.m.r. structural study of an enteric pharmaceutical coating, 255
- Chitosan in the solid state, molecular motion of, 205
- Crystal structure of 2-*O*-[(*S*)-2-hydroxypropyl]cyclomaltoheptaose, 37
- Crystal structure of α,β -panose, hydrogen bonding in the, 47
- Cyclodextrin glycosyltransferase from *Klebsiella* pneumoniae, branched saccharides formed by the action on starch of His-modified, 239
- Cyclomaltoheptaose, crystal structure of 2-O-[(S)-2-hydroxypropyl]-, 37
- Cyclomaltoheptaose, synthesis of some 2-O-(2-hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of, 113
- Cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof, analysis by ion-spray mass spectrometry, 23

- Cyclophellitols, total synthesis of glucosidase inhibitors, 189
- De novo highly stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, 173
- Deacetylation of octa-O-acetylsucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic, 121
- 6-Deoxy-5-C-methyl-D-ribo-hexose, total asymmetric synthesis and structure in aqueous solution, 151
- 2,6-Dideoxy sugars by use of 2,6-anhydro-2-thio sugars, *de novo* highly stereocontrolled synthesis of, 173
- Diethylaminosulfur trifluoride, action on 1-(4,6-O-isopropylidene-β-D-glucopyranosyl)pyrimidines, 277
- 1,2:5,6-Di-O-isopropylidene-D-mannitol, some new aspects of the synthesis and isolation of, 283
- Disialoganglioside GD1α, total synthesis of a, C1 DL-Prumycin, 3-deoxy-, (4-(D-alanylamino)-2-amino-2,3,4-trideoxy-DL-threo-pentose), total synthesis of, 163
- E. coli O7:K98:H6, structure of the capsular polysaccharide (K98 antigen) of, 245
- Encephalartos friderici guilielmi, studies of an acidic polysaccharide from, 215
- Enteric pharmaceutical coating cellulose derivative having ether and ester substituents, ¹³C-n.m.r. structural study of an, 255
- Exopolysaccharide produced by *Azotobacter beijerinckii* B-1615, structure of the major, 233
- Fluorosugar analogues of GLA-60: 2,6-dide-oxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetra-decanamido]-3-O-[(3R)-3-(tetradecanoyloxy)-tetradecanoyl]-D-glucopyranose and 2-deoxy-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-\alpha-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83
- Germ-free rats, intestinal mucin of, 1
- GLA-60, fluorosugar analogues of: 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83

D-Glucopyranose, 2-deoxy-2-[(3R)-3-hydroxyte-tradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-4-O-phosphono-, and 2-deoxy-2-[(3R)-3-hydroxytetradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-\(\alpha\)-D-glucopyranosyl dihy-

drogen phosphate, synthesis of, 57

D-Glucopyranose, 4-(dihydrogen phosphate), 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-, and 2-deoxy-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83

α-D-Glucopyranosyl dihydrogen phosphate, 2-deoxy-2-[(3R)-3-hydroxytetradecanamido]-3-O-](3R)-3-hydroxytetradecanamido]-3-O-[(3R)-3-hydroxytetradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-4-O-phosphono-D-glu-

copyranose, synthesis of, 57

α-D-Glucopyranosyl fluoride 4-(dihydrogen phosphate), 2-deoxy-2-[(3R)- and (3S)-3-hydroxyte-tradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]- and 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83

Glucosidase inhibitors: cyclophellitols, total synthesis of, 189

Glycosyl donors, synthesis of derivatives of Lrhamnose and L-glucose for use as, 141

Glycosyltransferase from *Klebsiella pneumoniae*, branched saccharides formed by the action on starch of His-modified cyclodextrin, 239

Gum exudate from Acacia nilotica, structure of, 289

Hydrogen bonding in the crystal structure of α,β -panose, 47

2-O-(2-Hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of cyclomaltohexaose, synthesis of some, 113

2-*O*-[(*S*)-2-Hydroxypropyl]cyclomaltoheptaose, crystal structure of, 37

Imidazo[2,1-b]thiazolium-3-olate systems, synthesis and reactivity toward acetylenic dipolarophiles, 99

Ion-spray mass spectrometry, analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by, 23

Lipid A, 3-ether analogue of, 69

D-Mannose, 2,3,4-tri-O-acetyl-, methyl, evidence of acetyl migration during the methylation of, with diazomethane-boron trifluoride etherate, 261

Methylation of methyl 2,3,4-tri-O-acetyl-D-mannose with diazomethane-boron trifluoride etherate, evidence of acetyl migration during the, 261

Molecular motion of chitosan in the solid state, 205

Motion of chitosan in the solid state, molecular, 205

Mucin, intestinal, of germ-free rats, 1

New aspects of the synthesis and isolation of 1,2:5,6-di-O-isopropylidene-D-mannitol, 283

¹³C-N.m.r. structural study of an enteric pharmaceutical coating cellulose derivative having ether and ester substituents, 255

Octa-O-acetylsucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic deacetylation, 121

 α,β -Panose, hydrogen bonding in the crystal structure of, 47

DL-threo-Pentose, 4-(D-alanylamino)-2-amino-2, 3,4-trideoxy-, (3-deoxy-DL-prumcyn), total synthesis of, 163

5-(S)-Phenylphosphatinothioyl derivative of α-D-xylopyranose, X-ray crystal structure of, 11

5-(S)-Phenylphosphinyl derivative of α-D-xylopyranose, X-ray crystal structure of, 11

Polyalcohol prepared from schizophyllan (β-D-glucan) by periodate oxidation and borohydride reduction, properties of the, 223

Polysaccharide from *Encephalartos friderici guilielmi*, studies of an acidic, 215

Properties of the polyalcohol prepared from schizophyllen (β -D-glucan) by periodate oxidation and borohydride reduction, 223

Rats, germ-free, intestinal mucin of, 1

L-Rhamnose and L-glucose, synthesis of derivatives for use as glycosyl donors, 141

Schizophyllan (β-D-glucan), properties of the polyalcohol prepared by periodate oxidation and borohydride reduction, 223

Stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, *de novo* highly, 173

Structure of the capsular polysaccharide (K98 antigen) of *E. coli* O7:K98:H6, 245

Structure of the major exopolysaccharide produced by Azotobacter beijerinckii B-1615, 233

- Studies of an acidic polysaccharide from Encephalartos friderici guilielmi, 215
- Sucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic deacetylation of octa-O-acetyl-, 121
- Sugar derivatives, synthesis of sulfenates of, 271 Sulfenates of sugar derivatives, synthesis of, 271
- Synthesis and isolation of 1,2:5,6-di-*O*-isopropylidene-D-mannitol, some new aspects of the, 283
- Synthesis and reactivity toward acetylenic dipolarophiles of imidazo[2,1-b]thiazolium-3-olate systems, 99
- Synthesis of N-[1-acetyl-5-(D-arabino-tetraacet-oxybutyl)-2-methyl-3-pyrroyl]-N-phthalimidoacetamide, 267
- Synthesis of 2,2'-anhydro-1-(3-deoxy-3-fluoro-4,6-*O*-isopropylidene-β-D-altropyranosyl)pyrimidines, a one-spot synthesis of, 277

- Synthesis of 6-deoxy-5-C-methyl-D-ribo-hexose and structure in aqueous solution, total asymmetric, 151
- Synthesis of derivatives of L-rhamnose and L-glucose for use as glycosyl donors, 141
- Synthesis of some 2-O-(2-hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of cyclomaltoheptaose, 113
- Synthesis of sulfenates of sugar derivatives, 271 Synthesis of 4-thio-L-rhamnofuranose, 131
- 4-Thio-L-rhamnofuranose, synthesis of, 131 Total synthesis of glucosidase inhibitors: cyclophellitols, 189
- α-D-Xylopyranose, 1,2,4-tri-O-acetyl-5-deoxy-3-O-methyl-5-[(S)-phenylphosphinyl- and -5-[(S)-phenylphosphinothionyl-, X-ray crystal structure of, 11

